

: « »

( )  
**-100**

- 101 12 (D70)
  - 102 12 (D80)
  - 103 12 (D85)
  - 104 12 (D100)
  - 105 24 (D80)
  - 106 24 (D100)
  - 107 24 (D120)
- 100009933.002-2000



1  
 1.1 ) с -100  
 40 5°

1.2 52368, 1658, 305,

1.3 -100

1.4

70 12 24  
120

2

(1)	1
(2)	1
(3)	1
	2
	1
	1

(1) \_  
 (2) \_  
 20 , ( 1 S=0,75  
 2 S=0,75 2 - 3 S=0,75 2 -  
 4, 5 S=1,5 2 - 6 S=1,5 2 -  
 125° )

(3) \_ ( 1 S=0,75 2 -  
 2 S=0,75 2 - 3 S=0,75 2 - 4, 5 S=1,5 2 -  
 6 S=1,5 2 - 7 S=0,75 2 -  
 125° )

	-101	-102	-103	-104	-105	-106	-107
1	68-73	73-86	78-91	90-105	73-86	90-105	117-125
2	52	67	52	82	67	82	80
3	12	24					
4	70	90	90	120	100	120	150
5	130						
6	40 45° 2						
7	0,180	0,250	0,270	0,350	0,250	0,350	0,410
8	3-10						

(1)

www.nomacn.by

4

4.1

4.2

4.3 p

4.4

! ( 2) 3.



1

4.5

5.3

305,

5.4

5


3/1 100009933.004-2001, 19783.

-8

5.1 !

5.2

1 2,



2

5.5  
24

( 1).  
24

5.6

3 4.

5.7

( 3):

1 87

1, 86 ;  
3 ( ) 2 ( ) 85  
1


4 5 ( )  
( 30 87)

20

6

1

5.8



«+» к замку  
ЭВК12РН1Я

АКБ  
12В (124Б)

( 4):  
2  
( ) 1 : 1-  
7- , 3-  
2 ( ; )  
4 5 ( ; )  
20 ;  
6 ;  
2  
5.9 ( )  
« 12- 22».

6  
6.1

1

1

6.2

2.

10


2,

6.3

5°

40°

3 10



«+» к замку  
ЭВК12РН1Я

АКБ  
+12В (+24В)

! 10 - 7 ,

6.4 - 7.1 -

2 3- 2 8

6.5 ( ) 8.1 -

6.6 ( 5- ) 8.2 : -20 , -1,5 .

6.7 9.1 -

- 9.2 2 -

6.8

23126.

2( ) 15150,